Approved For Release 2002/07/10: CIA-RDP69B00041R001800010047-8 **ILLEGIB** 25X1A TOPSECRET SERDSIZ MAR 63 CATE 3646 25X1A INFO PRIORITY IMMERIATE 25X1A SAMMER MISSION SUPPORT LANDING REPORT Ħ., 25X1A 25X1A ð. **ILLEGIB** 25X1A DEFLOADED 33.84737.34 BY REMAINE HOVE F S F C R T I

COMDR DCO M/C

ABBBEVIA and/or	JEFor Relead	ESSAGEFORMO:	CIA-RDP69E	SECURITY CL 3518	47-8	REI
PRECEDENCE					1	PHONE
ACTION						25X1A
INFO J			<u>. </u>	051/4.4	J	
SECRET	MAR	68 CITI		25X1A	1	SIG CEN COMDR
PRIORITY				25X1A	i	DCO DCO
				25X1A		
A. BX 6856	V					
B. FINAL FIELD EVALUA	ATION OF IN	S DATA				
C. INS OLO						
D. TAPE ON AT LINE 2	6. TIME 043	66.				
DATA BETW EN TIME	07907 AND	07917, LINE	591, M is sin	G DIGITS DUE		
TO PAYLOAD CAGING. S	UCCEST A/R	U00374. ROLL	00002. PIT	CH 00067.		
ALT 00839, HDG 03481,						
			- T			
DATA BETWEEN TIME	07917 AND	07926, LINE	593, MISSIN	G DIGITS DUE		
TO P/L CAGING. SUGGE	st a/r u003	74, ROLL 009	97, PITCH O	0067, ALT		
00642, HDG 03481, E/T	07921, GS	01868, LONG	10503, LAT	01983.		
DATA BETWEEN TIME	07921 AND	07931, LINE	594, Missim	G DIGITS		
DUE TO P/L CAGING. S	uccest a/r	COO374, ROLL	00995, PIT	сн 00066,		
ALT 00843, HDG 03481,	E/T 07926,	G/S 01870,	LONG 10503,	LAT 01987.		
DATA BETWEEN TIME	08015 AND	08024, LINE	614, MISSIN	G DIGITS DUE		
TO P/L CAGING. SUCCE	ST A/R U003	74, ROLL 008	25, PITCH O	0056, ALT		
00855, HDG 03450, E/T	08 020, G/S	01873, LONG	10483, LAT	02066.		
DATA BET KEN TIME	•		-			
TO P/L CAGING. SUGGE	ST A/R COO3	74, ROLL 006	66, PITCH O	0053. ALT		
00845, HDG 03311, E/T				·		
	>(3 4/0		. Aut to \$ THE			
			: 			
CONTROL NO. TO	OR/TOD	PAGE NO.		E IDENTIFICATION		TADAN
REGRADING INSTRUCTION	/	110	SECURIT			
Approv	ed For Relea:	s ć 290 2707110-	CIA RDP69	300041R0018000100	17-8	<u> </u>

APAPEOVAGETOR Releases 2002 FOR	1MO : C	IA-RDF	969B00041	700 <u>1</u> 80	LASSIFIC 0010047-	логта 8-
and/or CONTINUATION SHEET		-		DE C	RET	

PRECEDENCE RELEASED BY DRAFTED BY PHONE
ACTION
INFO

DATA BETWEEN TIME 08057 AND 08066, LINE 623, MISSING DIGITS. T SUGGEST A/R U00374, ROLL 00640, PETCH 00056, ALT 00843, HDG 03301, E/T 08062, G/S 01860, LONG 10470, LAT 02100.

DATA BETWEEN TIME 08062 AND 08071, LINE 624, MISSING DIGITS. SUGGEST A/R U00374, ROLL 00698, PITCH 00062, ALT 00842, HEG 03275, E/T 08066, G/S 01860, LONG 10468, LAT 02103.

MISSING ONE LINE OF DATA BETWEEN TIME 08422 AND 08443 DUE TO P/L TURNOFF.

HEADING BETWEEN TIME 00840 AND 00858, LINE 987, HISSING DIGIT. SUGGEST 00600.

HEADING DETWEEN TIME 00848 AND 00867, LINE 980, HAS WRONG DIGIT. SUGGEST 00600.

HEADING BETWEEN TIME 11169 AND 11223, LINES 999, 1000, 1001, 1002, 1003, MISSING DIGITS. SU GEST 00600 FOR EACH LINE.

TAPE OFF AT LINE 1255, TIME 12754.

END OF ASG

CONTROL NO. TOR/TOD PAGE NO. OF PAGES 2 2 IDENTIFICATION INITIALS

REGRADING INSTRUCTIONS SECURITY CLASSIFICATION

Approved For Release 2002/07/10 : CIA RDP69B00041R001800010047-8

				-Rup 95 00 041	1) /4 / Dart	### TT009 - W0302
ACTI	PRECEDENCE	IRFLEASED	RY	TORAFTEN RY		PHONE
INFO						25X
TOP	SECRET		MAR 68 CITE	1	25X1A	1 SIG CEN
DAMI	BDIATE			25X ²	٦ Al	1 COMDR 1 DCM 1 DCO
					X1A	1 200
A.	BX 6856				,	
3.	INS TAPE REPORT		·			
	INS 010					
	DATA LINK					
	SEE H					
	SE H		Tankar			
•	8/020936 -		8/063155.	ŷ.		ILLEGIB
			ED OF MSG			
				40		
	•					
					_1	
						25X1A
	TROL NO. T	OR/TOD	PAGE NO. O	F MESSAGE IDENT	IFICATION	INITIA
ON			NO. PAGE	S		

	PRECEDENCE	RELEASE	D BY	DI DI	RAFTED BY			FEMALE
CTIC							ヿ	25X1
OP	SECRET	M.	R 68 CITE		3 2'	25X1	A _l	SIG CEN
ME.			_		1	25X1A	1	COMDR DCM
						25X1A	1	DCO
	BX 6856					20, (1, (
	TYPE I CAMERA CO	nfiguration	REPORT					
,	I/C/8 MAR/12					25X1A		
	1350/675/675							
	1350/675/675							
	3404/2134/405-4-	-3-11-7						
	3.8/YELLOW, WRAT							
	70/62							
	69/67							
	0353Z/043 0 Z	•						
	05172/05322							
	0-21/190/.038							
	21-36/150/.038			39				
	36-54/190/038			21				
	70- <i>74/ 1704</i> 0 <i>7</i> 0							
	AS BRIEFED. FIF	SUT DAGS OF	ead gwalant	n page e p	ハ ミず ず ハい			
	B.S. SECURITY OF		BALLA GISOON	J I AUG V I	UDAILON			
		•	22.20					
	ELAPSED TIME RE		2:20					
ucc	ESSFUL PACKAGE (im was been			اِــ		
		E	ND OF MSG					

					I CE CUELEN		24.7101
	EVIAL NT ME Dyed For Release O'er CON Fine ATION	SSAGE FO	BW CIA-	RDP69B0	SECURITY 0 00041R0018000 TOP	SECRET	
PRECEDENCE ACTION			*	•			PHONE
INFO							25X1A
TOP SECRE	T MA	AR 68 C	:ITE [25X1/ 25X1A	-' i-	MSNCORD SIGCEN SECUR
					25X1A		
A. BX6856 B. SYSTEM	6 TAKE PROGR	ESS RE	PORT	·			
V F						,	25X1A
D. E. F. ETA	2/03	STATI Z VIA	,·	•		25X1 25X1	
	ITIONAL CARGO)	TION T	rol	□AND RETU	RN	25X1A
	1.						25X1A
END	(38)	OF		M	ESSAGE		
					-	<u>ا</u>	
	TOR/TOD	PAGE NO.	NO. OF PAGES	MESSAGE	IDENTIFICATION	DN .	INITIALS
REGRADING INSTRUCTION	oved For Release	2002/07/1			Y CLASSIFICATI		
DD , FORM 173-1					MAY BE USED.		· · · · · · · · · · · · · · · · · · ·

ILLEGIB Approved For Release 2002/07/10 : CIA-RDP69B00041R001800010047-8

DOINT MESSAGE OF THE CONTROL STATE OF SECRET AND AS CITE 25X1A 1 - SIG 1 - DOO 25X1A TOP SECRET MAR 68 CITE 25X1A 1 - DOO 1 -	
IMMEDIATE 1 POO 1 1 - DCO 1 - DCO 25X1A 1. BX6856-MISSION ANALYSIS 2. A. DESCENT DISTANCES - COMPUTER DISTANCES, CONSIDERING WIND, WERE USED. PILOT REPORTS ALL THREE DISTANCES EXCELLENT. B. 3.2 MACH HIGH ALTITUDE TURNS. PILOT REPORTS HE PURPOSELY STAYED 1000 - 2000 FEET BELOW PROGRAMMED ALTITUDE AT LESS THAN FULL AB AND TURNS WERE SMOOTH, WITH NO SIGNIFICANT ALTITUDE LOSS. C. SCDM. ALTITUDE LOSS NOTED ON DOUBLE INS TURN AT (LINES 612-699). PILOT REPORTS HE REDUCED TO MIN AB SHORTLY AFTER ROLL IN, HELD 3.2 AND ACCEPTED ALTITUDE LOSS. END OF MESSAGE	
1. BX6856-MISSION ANALYSIS 2. A. DESCENT DISTANCES - COMPUTER DISTANCES, CONSIDERING WIND, WERE USED. PILOT REPORTS ALL THREE DISTANCES EXCELLENT. B. 3.2 MACH HIGH ALTITUDE TURNS. PILOT REPORTS HE PURPOSELY STAYED 1000 - 2000 FEET BELOW PROGRAMMED ALTITUDE AT LESS THAN FULL AB AND TURNS WERE SMOOTH, WITH NO SIGNIFICANT ALTITUDE LOSS. C. SCDM. ALTITUDE LOSS NOTED ON DOUBLE INS TURN AT EXIT (LINES 612-699). PILOT REPORTS HE REDUCED TO MIN AB SHORTLY AFTER ROLL IN, HELD 3.2 AND ACCEPTED ALTITUDE LOSS. END OF MESSAGE	C
2. A. DESCENT DISTANCES - COMPUTER DISTANCES, CONSIDERING WIND, WERE USED. PILOT REPORTS ALL THREE DISTANCES EXCELLENT. B. 3.2 MACH HIGH ALTITUDE TURNS. PILOT REPORTS HE PURPOSELY STAYED 1000 - 2000 FEET BELOW PROGRAMMED ALTITUDE AT LESS THAN FULL AB AND TURNS WERE SMOOTH, WITH NO SIGNIFICANT ALTITUDE LOSS. C. SCDM. ALTITUDE LOSS NOTED ON DOUBLE INS TURN AT EXIT (LINES 612-699). PILOT REPORTS HE REDUCED TO MIN AB SHORTLY AFTER ROLL IN, HELD 3.2 AND ACCEPTED ALTITUDE LOSS. END OF MESSAGE	
B. 3.2 MACH HIGH ALTITUDE TURNS. PILOT REPORTS HE PURPOSELY STAYED 1000 - 2000 FEET BELOW PROGRAMMED ALTITUDE AT LESS THAN FULL AB AND TURNS WERE SMOOTH, WITH NO SIGNIFICANT ALTITUDE LOSS. C. SCDM. ALTITUDE LOSS NOTED ON DOUBLE INS TURN AT EXIT (LINES 612-699). PILOT REPORTS HE REDUCED TO MIN AB SHORTLY AFTER ROLL IN, HELD 3.2 AND ACCEPTED ALTITUDE LOSS. END OF MESSAGE	
THAN FULL AB AND TURNS WERE SMOOTH, WITH NO SIGNIFICANT ALTITUDE LOSS. C. SCDM. ALTITUDE LOSS NOTED ON DOUBLE INS TURN AT EXIT (LINES 612-699). PILOT REPORTS HE REDUCED TO MIN AB SHORTLY AFTER ROLL IN, HELD 3.2 AND ACCEPTED ALTITUDE LOSS. END OF MESSAGE	
AB AND TURNS WERE SMOOTH, WITH NO SIGNIFICANT ALTITUDE LOSS. C. SCDM. ALTITUDE LOSS NOTED ON DOUBLE INS TURN AT EXIT (LINES 612-699). PILOT REPORTS HE REDUCED TO MIN AB SHORTLY AFTER ROLL IN, HELD 3.2 AND ACCEPTED ALTITUDE LOSS. END OF MESSAGE	
C. SCDM. ALTITUDE LOSS NOTED ON DOUBLE INS TURN AT EXIT LINES 612-699). PILOT REPORTS HE REDUCED TO MIN AB SHORTLY AFTER ROLL IN, HELD 3.2 AND ACCEPTED ALTITUDE LOSS. END OF MESSAGE	ı
ROLL IN, HELD 3.2 AND ACCEPTED ALTITUDE LOSS. END OF MESSAGE	
END OF MESSAGE	
37)	
37)	
37)	
37)	. •
37)	
37)	
(37)	
YMBOL PAGE NR OF SECURITY CLASSIFICATION	INITIA